



BOWLAND
STONE

*inspire.
create.
enjoy.*

CONTENTS

Paving & Patios 4-47

Aggregates 48-53

Essentials 54-55

Stepping Stones, Walling & Edging 56-67

Landscaping Essentials 68-73

Patio Construction & Care 74-81

Important Information 82-83

Welcome to Bowland Stone!

We are a family business that over the years has become one of the UK's market leaders in landscaping and gardening materials. Our products help you create an inspiring garden that suits your lifestyle, whether it's the hub of family activity or your peaceful retreat away from the world.

Visit us at our showrooms in **Bristol & Manchester**

Bowland Stone (Bristol)

1 Cole Road
St Philips
Bristol BS2 0UG
e. bristol@bowlandstone.com
t. 0117 955 7530

Bowland Stone (Manchester)

Nab Works
Long Lane Pott Shrigley
Macclesfield
Cheshire SK10 5SD
e. manchester@bowlandstone.com
t. 01625 574634

Find even more inspiration at www.bowlandstone.com



PAVING & PATIOS

4 *pleasing
under foot*

Windsor 6-7

Baroque 8-9

Chapter 10-11

Cathedral 12-13

Chalice 14-15

Stratford 16-17

Deck Pave 18-19

Lakeland 20-21

Lakeland Star
& Sun 22-23

Regency Setts 24

Victorian Setts 25

Cloister & Catherine
Wheel 26-27

Rectory 28-29

Aurora & Sun Circle 30-31

Prestbury 32-35

Sleeper 36

Chesia 37

Somerset 38

Umbria 39

Block Paving 40-41

Natural Stone 42-45

Porcelain 46-47



Natural look

WINDSOR PAVING

With three natural-looking colours to choose from, Windsor is an ideal choice for both urban and rural gardens.

Windsor

Windsor paving is straight-edged with a lightly textured surface, true to the distinctive nature of classic Yorkshire stone. Windsor has been a popular choice for creating delightful garden features for many years. Available in a variety of sizes, a truly random design can be achieved.

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 600 | 2.8 | 30 | 8.9 | 25 | 750 |
| 600 x 450 | 3.7 | 22 | 13.5 | 50 | 1100 |
| 600 x 300 | 5.5 | 14.5 | 9.1 | 50 | 725 |
| 450 x 450 | 5 | 17 | 10 | 50 | 850 |
| 450 x 225 | 10 | 8 | 5 | 50 | 400 |
| 300 x 300 | 11 | 7 | 4.5 | 50 | 350 |

Thickness: 38mm

Colour



BARLEY



PORTLAND GREY



WELSH SLATE



*Complement
with colour*

BAROQUE PAVING

Our Baroque paving has a specially blended colouring and a subtle shade that creates a beautiful natural effect which is ideal for large areas and the perfect canvas to match with bright foliage and furniture.

Baroque

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 400 (A) | 4.2 | 15.5 | 6 | 25 | 387.5 |
| 400 x 400 (B) | 6.3 | 11 | 8 | 50 | 550 |
| 200 x 400 (C) | 12.5 | 5.5 | 4 | 50 | 275 |

Thickness: 32mm

PAVING PAC

Approx. size:
2400 x 2400mm
5.76m²
Pallet weight 392.4
Pac consists of:
12 = 600 x 400
10 = 400 x 400
16 = 400 x 200

OVAL PAC

Baroque
Approx. size:
3200 x 2200mm
5.53m²
Pallet weight 390
Pac consists of:
30 specific shapes
Baroque Infills
Approx. size:
3200 x 2400mm
Pallet weight 158
Piccolo
Approx. size:
2400 x 1400mm
2.64m²
Pallet weight 125
Pac consists of:
14 specific shapes
Piccolo Infills
Approx. size:
2800 x 1600mm
Pallet weight 120


Baroque paving's sleek smooth lines and fine surface make it a very tactile product. Reproduced in three different sizes it will make any patio stand out. Baroque can be used alone to create a beautiful patio area or combined with a Baroque Oval or Piccolo Oval for striking effect.

Colour




LIMESTONE

Plan



PAVING PAC



OVAL PAC
(BAROQUE OVAL)

2200mm / 2400mm (with Infill)



PICCOLO OVAL

Baroque & Piccolo Oval

The Oval Pac has a unique shape with a beautiful finish that will look stunning in any style of garden. Two sizes are available, Baroque Oval and the smaller Piccolo Oval.

create

flexible design

CHAPTER PAVING WITH CHAPTER CIRCLE

Our Chapter circle allows stunning circle designs to be incorporated into your patio and is available to purchase completely individually giving you complete flexibility of design. You can also combine our Chapter circle with our walling products to create stunning steps.

Chapter

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 750 x 500 (A) | 2.7 | 35 | 7.4 | 20 | 700 |
| 750 x 250 (B) | 5.35 | 18 | 7.5 | 40 | 720 |
| 500 x 500 (C) | 4 | 26 | 10 | 40 | 1040 |
| 500 x 250 (D) | 8 | 13 | 5 | 40 | 520 |
| 250 x 250 (E) | 16 | 6 | 2.5 | 40 | 240 |

Thickness: 40mm

PAVING PAC

Approx. size:

2250 x 2250mm
5.06m²

Pallet weight 456

Pac consists of:

5 = 750 x 500
8 = 500 x 500
7 = 500 x 250
5 = 250 x 250

CIRCLE PAC

Chapter 2m

Approx. size:
2000mm (dia)
3.14m²

Pallet weight 288

Chapter 3m

Approx. size:
3000mm (dia)
7.07m²

Pallet weight 636

Chapter 4m

Approx. size:
4000mm (dia)
12.57m²

Pallet weight 1116

Chapter paving's subtle worn-smooth riven appearance is suitable for many spaces. Its many shapes and sizes allows you to add your own splash of inspiration. Chapter Paving is available in five sizes and two natural-looking tones.

Colour




TUNDRA




BARLEY

Plan



PAVING PAC



CIRCLE PAC
(CHAPTER CIRCLE 3m)



/2

Distinctive style

CATHEDRAL PAVING

The weathered textures and tones of our Cathedral paving work beautifully with contemporary and traditional houses.

Cathedral

Create

The Cathedral paving range has a distinct rough-hewn texture that has been blended into three natural tones.

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 675 x 450 (A) | 3.3 | 25 | 7.6 | 25 | 625 |
| 600 x 600 (B) | 2.8 | 30 | 8.9 | 25 | 750 |
| 600 x 450 (C) | 3.7 | 22 | 13.5 | 50 | 1100 |
| 600 x 300 (D) | 5.5 | 14.5 | 9.1 | 50 | 725 |
| 450 x 450 (E) | 5 | 15.5 | 10 | 50 | 775 |
| 450 x 300 (F) | 7.4 | 9.5 | 6.8 | 50 | 475 |
| 450 x 225 (G) | 10 | 8 | 5 | 50 | 400 |
| 300 x 300 (H) | 11 | 7.5 | 4.5 | 50 | 375 |

Thickness: 38mm

PAVING PAC

Approx. size:
2700 x 2700mm
7.29m²

Pallet weight 603

Pac consists of:
12 = 675 x 450
9 = 450 x 450
18 = 450 x 225

Approx. size:
2400 x 2400mm
5.76m²

Pallet weight 484.4

Pac consists of:
9 = 600x600
11 = 600x300
6 = 300x300

CIRCLE PAC

Cathedral 1.8m

Approx. size:
1800mm (dia)
1800mm (with Infill)
2.54m²

Pallet weight 216

Cathedral 2.56m
Approx. size:
2560mm (dia)
3000mm (with Infill)
5.15m²


Pallet weight 416

Cathedral 3.48m

Approx. size:
3480mm (dia)
3600mm (with Infill)
9.51m²

Pallet weight 716

Colour



WEATHERED MOSS




WEATHERED YORK




BARLEY


Plan



PAVING PAC
(CATHEDRAL 5.76m)



PAVING PAC
(CATHEDRAL 7.29m)



CIRCLE PAC
(CATHEDRAL CIRCLE 3.48m)



In the detail

CHALICE PAVING & CIRCLE

Our riven appearance has been lovingly crafted on all surfaces, so when an edge is visible the patio has the realistic appearance of age-old stone. The Chalice Circle is available in three warming colours and different size kits offering you great flexibility when designing your outdoor space.

Chalice

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 600 (A) | 2.8 | 25.5 | 10.7 | 30 | 765 |
| 600 x 300 (B) | 5.5 | 13 | 10.9 | 60 | 780 |
| 300 x 300 (C) | 11 | 6 | 5.5 | 60 | 360 |
| Thickness: 35mm | | | | | |
| 450 x 450 (D) | 5 | 12.5 | 16 | 80 | 1000 |
| 450 x 225 (E) | 10 | 6.5 | 8 | 80 | 520 |
| Thickness: 32mm | | | | | |

PAVING PAC

Approx. size:
2400 x 2400mm
5.76m²

Pallet weight 405.5

Pac consists of:

- 9 = 600 x 600
- 11 = 600 x 300
- 6 = 300 x 300

Approx. size:
2700 x 2700mm
7.29m²

Pallet weight 450.5

Pac consists of:

- 25 = 450 x 450
- 22 = 450 x 225

CIRCLE PAC

Chalice 1.5m
Approx. size:
1500mm (dia)
1.77m²

Pallet weight 125.5

CIRCLE PAC

Chalice 1.8m
including Corner Infill sets
Approx. size:
1800mm (dia)
3.24m²

Pallet weight 210

Chalice 2.7m
including Chalice
450x450 Paving
Approx. size:
2700mm (dia)
7.29m²


Pallet weight 458

Our Chalice paving recreates the look and feel of natural stone with a gentle, riven surface.
Chalice is available in three unique colours, Honey Brown, Mellow Gold and Welsh Slate.
The colours combine various hues to produce a stunning, warming blend that recreates the appearance of natural stone.


Colour



HONEY BROWN




MELLOW GOLD




WELSH SLATE*


Plan



PAVING PAC
(CHALICE 5.76m)



PAVING PAC
(CHALICE 7.29m)



CIRCLE PAC
(CHALICE CIRCLE 1.8m)

*The 5.76m² kit is not available in the welsh slate colour.

rustic

Vintage appeal

STRATFORD PAVING

Beautifully reproduced in subtle shades and available in a variety of sizes Stratford is a cost-effective alternative to reclaimed materials.

Stratford

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|----------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 900 x 600* (A) | 1.8 | 59 | 11.1 | 20 | 1180 |
| 600 x 600 (B) | 2.8 | 34 | 7.2 | 20 | 680 |
| 600 x 450 (C) | 3.7 | 23.5 | 10.8 | 40 | 940 |
| 600 x 300 (D) | 5.5 | 16 | 7.3 | 40 | 640 |
| 450 x 450 (E) | 5 | 19 | 8.0 | 40 | 760 |
| 300 x 300 (F) | 11 | 8 | 3.6 | 40 | 320 |

Thickness: 45mm (*50mm)
*900x600 not available in Parisian

PAVING PAC

Approx. size:
2400 x 2400mm
5.76m²

Pallet weight 530

Pac consists of:

- 9 = 600 x 600
- 11 = 600 x 300
- 6 = 300 x 300

OCTAGON PAC

Approx. size:
2250 x 2250mm
5.06m²


Pallet weight 450

Pac consists of:


33 specific shapes

Stratford paving authentically captures the elegance of time-honoured stone, making it feel right at home from the moment it's laid. With stones beautifully reproduced in Antique Grey and Parisian in a large array of sizes, Stratford paving is a cost-effective and flexible solution.

Colour




ANTIQUE GREY




PARISIAN

Plan



PAVING PAC



OCTAGON PAC

rural

Inspired by nature

DECK PAVE

This wonderfully natural looking paving gives any garden a rural character without the hassle of having to treat and upkeep real wood.

Deck Pave

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 500 x 500 | 4 | 19.1 | 12.5 | 25 | 477.5 |

Thickness: 35mm

Our natural looking, durable Deck Pave tiles will add flair to any garden patio. They have many advantages to traditional decking including durability, and less upkeep than real wood.

Colour



DECK PAVE



Complement

The rich brown textured wood look of our Deck Pave can be teamed perfectly with our light coloured cotswold chipping and bright pops of colour from pots and plants.



classic

Slate look

LAKELAND PAVING

For a classic natural slate look our Lakeland range is perfect. If you turn to page 61 you can find out more about our accompanying Lakeland Walling offering you a wide range of possibilities when creating your outdoor space.

Lakeland

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 400 (A) | 4.2 | 18 | 6.0 | 25 | 450 |
| 400 x 400 (B) | 6.3 | 13 | 8.0 | 50 | 650 |
| 400 x 200 (C) | 12.5 | 6.5 | 4.0 | 50 | 325 |

Thickness: 35mm

PAVING PAC

Approx. size:
2400 x 2400mm
5.76m²


Pallet weight 459.5

Pac consists of:

- 12 = 600 x 400
- 10 = 400 x 400
- 16 = 400 x 200


Our ever-popular Lakeland range brings the unmistakable look and texture of natural slate to your garden. Lakeland Paving is available in classic Cumbrian Slate and with its accompanying Lakeland Walling, offers you a wide range of possibilities when creating your dream outdoor space.

Colour



CUMBRIAN SLATE

Plan



PAVING PAC



Complement

Large, smooth white pebbles make a great companion to the textured, cool slate grey of Lakeland paving.
See page 51

Always sunny

LAKELAND SUN PATIO PAC

The sun will always be shining in your garden with our Lakeland Sun Octagon, ideal for brightening up any corner.

Lakeland

Star & Sun

Create

PATIO PACS

LAKELAND SUN

Approx. size:
2400 x 2400mm
5.76m²

Pallet weight 471

Thickness: 35mm

LAKELAND STAR

Approx. size:
2400 x 2400mm
5.76m²

Pallet weight 453

Thickness: 35mm

Our Lakeland Star and Sun Patio Pacs are the perfect feature to create a striking contemporary design that will bring the wow factor to your garden. Both come complete in a mix of two dramatic colours, Cumbrian Slate and Gold, with our Star design now also available in a striking combination of Welsh Slate and Portland Grey.

Colour




CUMBRIAN SLATE



GOLD




WELSH SLATE




PORTLAND GREY

Plan



LAKELAND STAR



LAKELAND SUN



Lakeland Star

Reach for the stars with our striking Lakeland Star Patio Pac. Why not order our North Star to feature N, S, E & W compass points on the points of the star.



Regency Setts

Made to order, Regency Setts paving echoes the natural beauty and timeless elegance of hand-chiselled cobbles. An authentic cobbled appearance has been used in elegant homes for generations, and will gracefully enhance any home today. Regency Setts are available in three designs: square, radius or tree planter – something for everyone.

Colour



OLD RED



WEATHERED MOSS

Create

PAVING STONES


| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 450 x 450 | 5 | 16.5 | 9.6 | 48 | 792 |

Thickness: 38mm


Plan



SQUARE SETT



TREE PLANTER



RADIUS PAVING

Victorian Setts

Victorian Setts are a simple solution to bringing that period look to your garden with an elegant style. Re-created from original traditional setts, our Diamond and Chevron Setts recapture the feel of a bygone era. Ideal for pathways, Victorian Setts are a timeless classic.

Colour



DIAMOND SETT,
WELSH SLATE



CHEVRON SETT,
TERRACOTTA

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 224 x 112 | 40 | 2 | 1.9 | 75 | 150 |

Thickness: 40mm

elegant



harmony

*Naturally
neutral*

CLOISTER PAVING

With its natural worn look Cloister paving fits in instantly to its surrounding and works in harmony with any type of garden. From a family friendly small courtyard garden to a feature area in a bigger plot it is the perfect choice.

Cloister

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 760 x 380 (A) | 3.5 | 25 | 7.1 | 25 | 625 |
| 380 x 380 (B) | 6.9 | 12.5 | 7.2 | 50 | 625 |
| 190 x 380 (C) | 13.9 | 6.5 | 3.6 | 50 | 325 |

Thickness: 38mm

PAVING PAC

Approx. size:
2280 x 2280mm
5.20m²

Pallet weight 452

Pac consists of:

9 = 760 x 380
10 = 380 x 380
16 = 190 x 380

PATIO PACS

Catherine wheel

Approx. size:
2090mm (dia)
2280mm (with Infills)

Pallet weight 315

Pallet weight 156 (Infills)

Corner Infill sets, available separately for Barley and Weathered Slate.

Cloister Paving has a wonderfully worn surface and becomes instantly harmonious with its surroundings when laid. Cloister Paving has a sawn edge enhancing its appearance of 'old stone', and is available in two colours with a natural appearance. Three different sizes allow for traditional paving patterns as well as contemporary designs.

Colour




BARLEY




WEATHERED SLATE

Plan



PAVING PAC



CATHERINE WHEEL



Catherine Wheel

Looking for something different? The Catherine Wheel provides a stunning visual display for your garden. Corner Infill Sets are available to allow you to integrate a Catherine Wheel into a paved area and works well with Cloister paving. Stepping stones are also available to complete the look.



Textured character

RECTORY PAVING

Full of character with its textured surface and rich slate colour, why not use our Rectory Circle Pac to turn an unloved corner of the garden into a beautiful feature.

Rectory

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 600 (A) | 2.8 | 25 | 10.71 | 30 | 750 |
| 600 x 450 (B) | 3.7 | 19.4 | 13.51 | 50 | 970 |
| 600 x 300 (C) | 5.5 | 12 | 10.91 | 60 | 720 |
| 450 x 450 (D) | 5 | 14 | 10.00 | 50 | 700 |
| 450 x 300 (E) | 7.4 | 9.5 | 6.76 | 50 | 475 |
| 300 x 300 (F) | 11 | 6 | 5.45 | 60 | 360 |

Thickness: 32mm

PAVING PAC

Rectory Kit

Approx. size:

2400 x 2400mm

5.76m²

Pallet weight 408

Pac consists of:

9 = 600 x 600

11 = 600 x 300

6 = 300 x 300

PATIO PAC

Rectory Circle

Approx. size:

1800 x 1800mm

3.24m²

Pallet weight 246.7

Pac consists of:

25 specific shapes


With its deep, heavy riven surface, Rectory Paving is full of character, ideal for creating idyllic spaces with a rural impression. The traditional appearance of Rectory gives refinement to paved areas. Available in a convenient 5.76m² paving pac or individual sizes made to order.

Colour




WELSH SLATE

Plan



PAVING PAC



PATIO PAC
RECTORY CIRCLE

Compact feature

AURORA CIRCLE

The Aurora Circle is based on the design of our popular and larger Sun Circle. At just 1.8m, the Aurora is a compact feature perfect for those with smaller outdoor spaces.

Aurora & Sun Circle

Create

| Sizes | m ² Per Pack | Pallet weight |
|------------------------------------|-------------------------|---------------|
| Aurora Circle Patio Pac 1800 (dia) | 2.54 | 225 |
| Aurora Corner Infill Set | 1.87 | 199 |
| Sun Circle Patio Pac 2560 (dia) | 5.15 | 430 |
| Sun Circle Corner Infill Set | 3.85 | 361 |

Thickness: 40mm

Our Aurora and Sun Circles are both created in a mix of two striking colours; Antique Grey and Barley which creates a dazzling effect in the sunlight that come rain or shine will brighten up any garden! Complement with Stratford range.

For additional sunshine in your step head over to page 58 to find out about our Celestial stepping stones.

Colour




ANTIQUE GREY



BARLEY


Plan

1800mm / 2100mm (with Infills)



AURORA CIRCLE

2560mm / 3000mm (with Infills)



SUN CIRCLE



SunCircle

Our ever-popular Sun Circle will have a dynamic effect on your outdoor space. Available with squared-off infills.

Calm retreat

PRESTBURY WAVE

The smooth lines of the Prestbury Wave create a calming patio feature in any garden, perfect paired with pebbles for a beach style feel.

Prestbury Wave & Chevron

Create

| Sizes | m ² Per Pack | Pallet weight |
|---|-------------------------|---------------|
| Prestbury Wave Patio Pac 2400 x 2400 | 5.76 | 462 |
| Prestbury Chevron Patio Pac 2250 x 2460 | 5.54 | 441 |

Thickness: 32mm

Our Prestbury collection is available in two colours: Calming Portland Grey and stylish Welsh Slate. Whether you choose the straight geometric lines of the Chevron or the soothing lines of the Wave, both will give your garden a dynamic and inspirational look.

Colour




PORTLAND GREY




WELSH SLATE

Plan



PRESTBURY WAVE



PRESTBURY CHEVRON



Prestbury Chevron

The geometric style of our Prestbury Chevron gives any garden a modern feel. Team with crushed glass for an ultra stylish outdoor space. Visit pages 48-53 for our full range of decorative aggregates.



*Clean lines &
a smart finish*

PRESTBURY STONE PAVING

With its fine, clean lines and smart design it's the perfect choice for the modern garden, creating a contemporary style you'll enjoy for years.

Prestbury

A high quality paving with a gentle texture and a smart, sophisticated appearance – you won't believe it's not porcelain! Available in two natural-looking shades, the Prestbury Stone Paving Pac is created using 3 different sizes.

Create

| Sizes | m ² Per Pack | Pallet weight |
|--|-------------------------|---------------|
| Prestbury Stone Patio Pack 2400 x 2400 | 5.76 | 462.2 |

Thickness: 32mm

PAVING PAC

Approx. size:

2400 x 2400mm

Pallet weight 462.2

Pac consists of:

12 = 600 x 400

10 = 400 x 400

16 = 400 x 200

Colour




PORTLAND GREY



LIMESTONE

Plan



PAVING PAC



Sleeper

Sleeper Paving captures the warm textures of real timber, without the maintenance. Beautiful and durable, Sleeper Paving will bring a welcoming rustic feel to your garden. Available in three sizes.

Colour



SLEEPER

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 900 x 225 | 4.9 | 20.5 | 4.1 | 20 | 410 |
| 675 x 225 | 6.6 | 15.5 | 3 | 20 | 310 |
| 225 x 225 | 20 | 5 | 2 | 40 | 200 |

Thickness: 45mm

Complement

For a cool beachy look, combine sleeper paving with large pebbles or why not use as a durable edging for raised flowerbeds.



Chesia

Chesia captures the essence of country house living, authentically recreating the tone and texture of natural stone. Chesia can be used externally, but why not bring a warm, rustic feel to your home by laying Chesia indoors? From kitchens to conservatories, it's 30mm thickness makes it ideal for interiors.

Colour



LIMESTONE

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 750 x 500 | 2.7 | 25 | 11.1 | 30 | 750 |
| 500 x 500 | 4 | 16 | 15 | 60 | 960 |
| 500 x 250 | 8 | 8 | 7.5 | 60 | 480 |

Thickness: 30mm



Somerset

Somerset has a contemporary textured surface suitable for many gardens. As well as being both practical and hardwearing, the cool colours of Somerset Paving will create a sleek effect in your garden.


Colour



GREY



BUFF



BLUE BLACK

Create

PAVING STONES


| Sizes | Unit / m2 | Unit weight | m2 / pallet | Unit / pallet | Pallet weight |
|-----------|-----------|-------------|-------------|---------------|---------------|
| 450 x 450 | 5 | 17.5 | 8 | 40 | 700 |

Thickness: 32mm

Umbria

Durable, light and easy to handle, Umbria tiles are ideal for internal and external projects. Umbria tiles look stunning in conservatories and kitchens and are versatile enough to use outside for smaller features. Laid either conventionally or randomly spaced, you'll achieve fantastic results.

Colour



TERRACOTTA

Create

PAVING STONES

| Sizes | Unit / m2 | Unit weight | m2 / pallet | Unit / pallet | Pallet weight |
|-----------|-----------|-------------|-------------|---------------|---------------|
| 390 x 260 | 9.9 | 5.5 | 7.1 | 70 | 385 |
| 260 x 260 | 14.8 | 4 | 4.7 | 70 | 280 |
| 260 x 130 | 29.6 | 2 | 2.3 | 70 | 140 |


Thickness: 25mm

Complement

Complement the bright terracotta patio with white wash walls and edge flowerbeds of lavender with our delicate Rose Thistle path edging for a garden with a distinctly Mediterranean feel.



versatile



40

First impressions

Create a wonderful first impression for your property with our desirable and durable collection of block paving.

Rumbled Block Paving



Driveway Block Paving



Stonemaster

Block Paving

Rumbled Block Paving

PAVING STONES


| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 200 x 134 | 37 | 2.98 | 9.08 | 336 | 1002 |
| 134 x 134 | 56 | 1.99 | 9.0 | 504 | 1002 |
| 100 x 134 | 75 | 1.49 | 8.96 | 672 | 1002 |

Thickness: 50mm


Colour



GRAPHITE



AUTUMN



BRINDLE



RUSTIC


Stonemaster

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 300 x 100 | 33.3 | 4 | 7.20 | 240 | 960 |

Thickness: 60mm

Colour



DARK GREY



MID GREY



LIGHT GREY

Driveway Block Paving

PAVING STONES


| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 200 x 100 | 50 | 2.27 | 9.76 | 488 | 1110 |

Thickness: 50mm


Colour




AUTUMN



BURNT OKER



BRINDLE



CHARCOAL



BUFF



RED



Complement


Create sweeping designs and beautifully crafted accent features by pairing our rustic-coloured rumble blocks with lighter edging, such as our Cathedral Radius Paving.

NATURAL STONE

*harmony
distinction
timeless*

42

Natural Sandstone, Autumn Green



Natural Limestone, Blue Black



Natural Limestone, Azure



PAVING AND PATIOS
BOWLANDSTONE.COM

43

Exclusively yours

Natural stone gives your patio a touch of exclusivity, where varying natural tones blend harmoniously and differing riven profiles make every stone unique.

*Rich and
harmonious tones*

NATURAL STONE PAVING

Whether you're planning a contemporary look or a classic English style, our exquisite natural stone will bring rich tones and provide depth to your garden.

Natural Stone

Create

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|---------------|-----------------------|-------------|-------------------------|---------------|---------------|
| 900 x 600 (A) | 1.8 | 30 | 15.6 | 28 | 840 |
| 600 x 600 (B) | 2.8 | 20 | 14.3 | 40 | 800 |
| 600 x 300 (C) | 5.5 | 10 | 15.5 | 85 | 850 |
| 300 x 300 (D) | 11 | 5 | 7.7 | 85 | 425 |

Thickness: 22mm
- Approximately calibrated to 22mm

PAVING PAC


Approx. size:
3400 x 4500mm
15.3m²*

*To allow 10-15mm joints.

Pallet weight 825


Pac consists of:

13 = 900 x 600
13 = 600 x 600
13 = 600 x 300
9 = 300 x 300




PAVING PAC

Sandstone Colour



FOSSIL BUFF



SILVER GREY



AUTUMN GREEN




MODAC

Limestone Colour




BLUE BLACK




AZURE*


Smooth Natural Sandstone Colour



RAINBOW*



DUNE*



SILVER GREY*

Our range of natural stone paving gives delicate tones and varying shades through the whole colour range. The Natural Stone range is made up of dramatic colours and textured surfaces. Each piece is different, giving your garden project a very individual style. Circles and Setts also available.



*Only available in paving packs not individuals sizes.



*The best of
both worlds*

PORCELAIN PAVING

If you think porcelain is a little too delicate for paving, you're in for a very pleasant surprise. As well as providing a smooth, elegant finish, it also offers an amazingly hard wearing, scratch resistant and low maintenance surface.

Tephra



Brooklyn



Arenaria

Porcelain

Arenaria

Plan

PAVING PAC

Approx. size:

5100 x 3600mm

18.36m²

Pallet weight 880


Pac consists of:

30 = 595 x 595

36 = 595 x 295

12 = 295 x 295

Thickness: 20mm




PAVING PAC


Colour



DARK GREY



LIGHT GREY



CREAM


Tephra

PAVING STONES


| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 600 | 2.78 | 17.5 | 21.60 | 60 | 1050 |

Thickness: 20mm

Colour



DARK GREY



LIGHT GREY



CREAM


Brooklyn

PAVING STONES

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 600 x 600 | 2.78 | 17.5 | 21.60 | 60 | 1050 |

Thickness: 20mm


Colour



DARK GREY



LIGHT GREY



CREAM



Complement

Contrast your porcelain paving with treated timber sleepers and highland cobbles for the perfect 'lived in' feel.

*Please note larger range of Porcelain is available.

DECORATIVE AGGREGATES

*closer to
nature*



Decorative Aggregates

PEBBLES, GRAVEL, GLASS & CHIPPINGS

From ponds and rockeries to driveways and paths, decorative stones are a versatile way to create interesting features and bring both colour and texture into your garden.

Measure up

Use the table below to work out how many Large Pacs you will need.

| m ² | 1 | 2 | 3 | 4 | 5 |
|----------------|----|----|----|----|-----|
| 1 | 4 | 8 | 12 | 16 | 20 |
| 2 | 8 | 16 | 24 | 32 | 40 |
| 3 | 12 | 24 | 36 | 48 | 60 |
| 4 | 16 | 32 | 48 | 64 | 80 |
| 5 | 20 | 40 | 60 | 80 | 100 |

Based on a 50mm (2") average coverage.
e.g. to cover an area of 3m x 2m at a depth of 50mm, you will require approx. 24 bags
If you have a larger area to cover, our bulk bags cover between 10-11m².


***FISH FRIENDLY**
(Wash prior to use)




Decorative Range




HUNTLEYWOOD GRAVEL*




PEA GRAVEL*




SOUTH CERNEY




CHARD FLINT*




THAMES VALLEY FLINT*




CORNISH GRANITE*




HENHAM GRAVEL*



HENHAM PEBBLES*



RASPBERRY RIPPLE




WHITE PEBBLES*



WHITE PEBBLES*



HIGHLAND COBBLES*




HIGHLAND COBBLES*




HIGHLAND COBBLES*




HIGHLAND COBBLES*




PLUM SLATE*



PLUM SLATE*



GREEN SLATE*




GREEN SLATE*




BLUE SLATE*




BLUE SLATE*



SOMERSET GREY CHIPPINGS



COTSWOLD CHIPPINGS




GREEN CHIPPINGS*




Decorative Range continued




PINK CHIPPINGS



BROWN PEA GRAVEL*



ALPINE GRAVEL*



MOONSTONE



WHITE CHIPPINGS

Crushed Glass



CRUSHED GLASS
WHITE*



CRUSHED GLASS
LILAC*



CRUSHED GLASS
GREEN*



CRUSHED GLASS
TURQUOISE*



CRUSHED GLASS
BLUE*



EasyGrid

Our durable plastic easy grid will help to keep your aggregates in place. Especially effective for driveways and well trodden gardens.

Ground Cover

We would advise using our ground cover under your aggregate as an effective weed suppressant.

*FISH FRIENDLY
(Wash prior to use)



Rockery

100 - 200mm



CALEDONIAN COBBLE*

200 - 350mm



CALEDONIAN COBBLE*



RED ROCKERY



GREY LIMESTONE ROCKERY



COTSWOLD ROCKERY



PLUM SLATE ROCKERY*



GREEN SLATE ROCKERY*



GREEN ROCKERY



YORKSTONE ROCKERY



RUSTIC SLATE ROCKERY*

Polished Pebbles



POLISHED PEBBLES
BLENDED*



POLISHED PEBBLES
IVORY*



POLISHED PEBBLES
EBONY*



Essentials

At Bowland Stone we have a large variety of extra items to help you to create your perfect garden. From essential sands and aggregates to bark and topsoil. If you cannot see what you are looking for on these next pages please visit our website or give one of our sales team a call, we are always happy to assist.

Sands & Ballast

Various types suitable for a variety of building uses including bedding paving stones and block paving, producing concrete mixes and filling joints.



SHARP SAND



GRIT SAND



YELLOW BUILDING
SAND



RED BUILDING
SAND




KILN DRIED SAND



SUBBASE



YELLOW
BALLAST



LIMESTONE
BALLAST



0-4MM DUST

Horticultural Range


A range of products for use when soft landscaping.




HORTICULTURAL GRIT*




POTTING GRIT




HORTICULTURAL SAND*




BARK/MULCH



TOPSOIL



COMPOST



SOIL CONDITIONER

Permeable Aggregates

Various grades of 'clean' chippings to allow water drainage for use with block paving, to comply with driveway regulations.



DRAINAGE

14mm 'clean' chipping used as a sub base. 14mm Clean Limestone




JOINTING

3mm 'clean' aggregate for filling the joints between block paving. Horticultural Grit



BEDDING

6mm 'clean' chipping used above the 14mm chipping, and below block paving. 6mm Clean Limestone



PEA GRAVEL

A free-draining aggregate for use in drainage and pipe bedding.



ROAD SALT

Purpose produced to clear paths and driveways in icy conditions.



PLAY SAND

Bring the fun of the beach to your garden.

Also available

POST MIX
CEMENT
BLACK MORTAR
WHITE MORTAR
MASTER MIX® – SAND AND CEMENT MIX



STEPPING STONES, WALLING & EDGING

Stepping Stones 58-60

Lakeland Walling 61

Priory Walling 62-63

Meadow Walling 64

Edgings 65

Copings 66-67

enchanting



Stepping Stones

Making use of Stepping Stones in your garden is a great way to complement patios or create a fun, winding pathway or walkway. Our ranges are diverse enough to match any scheme and connect all elements of your garden.

Wild Animal Range

The Wild Animal Range comes in four designs – fox, fish, hedgehog and squirrel.



WILD ANIMAL FOX

Colour: BATH BUFF
300mm dia



WILD ANIMAL FISH

Colour: BATH BUFF
300mm dia



WILD ANIMAL HEDGEHOG

Colour: BATH BUFF
300mm dia



WILD ANIMAL SQUIRREL

Colour: BATH BUFF
300mm dia

Wild Bird Range

The Wild Bird Range comes in three designs – owl, woodpecker and eagle.



WILD BIRD OWL

Colour: BATH BUFF
390mm dia



WILD BIRD WOODPECKER

Colour: BATH BUFF
390mm dia



WILD BIRD EAGLE

Colour: BATH BUFF
390mm dia

Heart Range



HEART

Colour: BROWN OAK
420mm dia



HEART

Colour: BARLEY
420mm dia

Celestial Range



CELESTIAL SUN

Colour: ANTIQUE GREY/BARLEY
450mm dia



CELESTIAL MOON

Colour: WELSH SLATE
450mm dia



CELESTIAL STAR

Colour: MELLOW GOLD
450mm dia

Deckstone Range



DECKSTONE

Colour: BROWN OAK
450mm dia



DECKSTONE

Colour: BARLEY
450mm dia

Cathedral Range



CATHEDRAL
Colour: WEATHERED MOSS
300mm & 400mm dia



CATHEDRAL
Colour: WEATHERED YORK
300mm & 400mm dia



CATHEDRAL
Colour: BARLEY
300mm & 400mm dia

Chapter Range



CHAPTER IRREGULAR
Colour: TUNDRA
500mm dia



CHAPTER IRREGULAR
Colour: BARLEY
500mm dia

Catherine Wheel Range



CATHERINE WHEEL
Colour: BARLEY
450mm dia



CATHERINE WHEEL
Colour: WEATHERED SLATE
450mm dia



CATHERINE WHEEL INFILL
Available in: BARLEY and WEATHERED SLATE

Japanese Range



JAPANESE
Colour: ANTIQUE GREY



JAPANESE
Colour: BARLEY



When used in combination with one of our decorative aggregates such as Chard Flint or Plum Slate, a stepping stone completes a garden pathway perfectly.

Compass



COMPASS
Colour: BATH BUFF
440mm dia

Oval



OVAL
Colour: LIMESTONE
450mm dia

Rope




ROPE
Colour: BATH BUFF
440mm dia

Driftwood Log



DRIFTWOOD LOG
Colour: BROWN OAK
360mm dia

Granite



GRANITE
440mm dia

Hexagon Rainbow



HEXAGON RAINBOW
Colour: Multi
400mm dia



Driftwood Log



Oval Limestone

| Sizes | Unit weight | Unit / pallet | Pallet weight |
|--------------------------|-------------|---------------|---------------|
| Cathedral | | | |
| 300 (dia) | 6.5 | 25 | 162.5 |
| 400 (dia) | 9.8 | 25 | 245 |
| Catherine Wheel | | | |
| 450 (dia) | 9.8 | 25 | 245 |
| Infill | 8.2 | 25 | 205 |
| Chapter Irregular | | | |
| 500 (dia) | 14.2 | 20 | 284 |
| Celestial Moon | | | |
| 450 (dia) | 10.21 | 25 | 255.25 |
| Celestial Star | | | |
| 450 (dia) | 10.21 | 25 | 255.25 |
| Celestial Sun | | | |
| 450 (dia) | 10.21 | 25 | 255.25 |
| Driftwood Log | | | |
| 360 (dia) | 8.7 | 20 | 174 |
| Rope | | | |
| 440 (dia) | 11.06 | 25 | 276.50 |
| Japanese | | | |
| Various (dia) | 17 | 25 | 425 |
| Oval | | | |
| 450 (dia) | 7.2 | 25 | 180 |
| Natural Granite | | | |
| 400 (dia) | 6.9 | 25 | 172.5 |

| Sizes | Unit weight | Unit / pallet | Pallet weight |
|-----------------------------|-------------|---------------|---------------|
| Wild Animal Fox | | | |
| 300 (dia) | 5.5 | 25 | 137.5 |
| Wild Animal Fish | | | |
| 300 (dia) | 5.5 | 25 | 137.5 |
| Wild Animal Hedgehog | | | |
| 300 (dia) | 5.5 | 25 | 137.5 |
| Wild Animal Squirrel | | | |
| 300 (dia) | 5.5 | 25 | 137.5 |
| Wild Bird Owl | | | |
| 390 (dia) | 10 | 25 | 250 |
| Wild Bird Woodpecker | | | |
| 390 (dia) | 10 | 25 | 250 |
| Wild Bird Eagle | | | |
| 390 (dia) | 10 | 25 | 250 |
| Heart | | | |
| 420 (dia) | 8.3 | 25 | 207.5 |
| Deckstone | | | |
| 450 (dia) | 10.75 | 25 | 268.75 |
| Compass | | | |
| 440 (dia) | 8.6 | 25 | 215 |
| Hexagon Rainbow | | | |
| 400 (dia) | 5.2 | 25 | 130 |

Lakeland

Lakeland faithfully captures the art of laying dry slate walling, providing a timeless structure for any garden. Lakeland Walling is available in authentic Cumbrian Slate, and both full and half blocks provide you with a flexible solution to creating distinctive garden features.

Colour



CUMBRIAN SLATE

Lakeland coping/edging is also available
in Parisian Limestone colour



FULL BLOCK (VARIOUS DESIGNS)



HALF BLOCK (VARIOUS DESIGNS)



COPING/EDGING (VARIOUS DESIGNS)



FLAT COPING

Create

WALLING

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|--|-----------------------|-------------|-------------------------|---------------|---------------|
| Full Block 440 x 120 Thickness: 115mm | 17 | 12 | 3.8 | 60 | 720 |
| Half Block 220 x 120 Thickness: 115mm | 33 | 6.5 | 1.8 | 60 | 390 |
| Coping/Edging 440 x 140 Thickness: 100mm | - | 15 | - | 60 | 900 |
| Flat Coping 440 x 150 Thickness: 30mm | - | 5 | - | 60 | 300 |



Priory Split Walling

Similar to Priory Cottage, our Priory Split Walling range is inspired by the Cotswold Stone and is reminiscent of the countryside style. With its traditional flat-split, rough-hewn face, this unique range will look the part in any garden.

Colour



MISTY GREY



SUMMER CORN

Create

WALLING

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 220 x 65 | 58 | 2.67 | 6.6 | 374 | 1000 |
| 330 x 65 | 39 | 4.3 | 5.9 | 279 | 1200 |
| 220 x 140 | 29 | 6.47 | 6.1 | 170 | 1100 |
| 330 x 140 | 19 | 9.52 | 6.0 | 126 | 1200 |

Thickness: 100mm



PRIORY SPLIT WALLING

Priory Cottage Walling

Our Priory Cottage range reflects a more rugged and weather-worn style of walling. Inspired by Cotswold Stone, this look is great for traditional gardens and adds a calming, rustic element to any patio area.

Colour



MISTY GREY



SUMMER CORN

Create

WALLING

| Sizes | Unit / m ² | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
|-----------|-----------------------|-------------|-------------------------|---------------|---------------|
| 220 x 65 | 58 | 2.67 | 6.6 | 374 | 1000 |
| 330 x 65 | 39 | 4.3 | 5.9 | 279 | 1200 |
| 220 x 140 | 29 | 6.47 | 6.1 | 170 | 1100 |
| 330 x 140 | 19 | 9.52 | 6.0 | 126 | 1200 |

Thickness: 100mm



PRIORY COTTAGE WALLING




Meadow

Meadow Walling has been crafted using original natural dry stone walling masters, recreating a rustic look that is durable and versatile. Our Meadow range consists of both full and half blocks with copings and edgings to match. Recreated in a modular block style, Meadow Walling is quick and easy to build, and achieves a traditional look without the need for time-consuming cutting.


Colour



BARLEY



TUNDRA



PARISIAN

Parisian Limestone colour only available in Full and Half Blocks.



FULL BLOCK (VARIOUS DESIGNS)



HALF BLOCK (VARIOUS DESIGNS)



EDGING/COPING (4 DESIGNS)



SINGLE COPING



DOUBLE COPING

Create

| WALLING | | | | | |
|---|------------------------------|-------------|-------------------------|---------------|---------------|
| Sizes | Unit / m ² or 1lm | Unit weight | m ² / pallet | Unit / pallet | Pallet weight |
| Full Block 440 x 150 Thickness: 100mm | 14 | 12.5 | 4.3 | 60 | 750 |
| Half Block 215 x 150 Thickness: 100mm | 28 | 12.5 | 2.15 | 60 | 360 |
| Coping/Edging 440 x 100 Thickness: 100mm | 2.2 | 8 | - | 60 | 480 |
| Single Coping 600 x 160 Thickness: 40mm | 1.66 | 9.5 | - | 50 | 475 |
| Double Coping 600 x 280 Thickness: 40mm | 1.66 | 16.5 | - | 50 | 825 |

Edgings

Edgings not only keep walkways defined, but can also help keep your beds, gravel, soils and other aggregates in place, forming neat and striking borders. Edgings can also be used to define areas of your garden and to surround pathways for a clever, decorative way to separate patios or landscaped areas.

| Sizes | Unit weight | No. Linear Mtr | Linear Mtr Pack | Unit / pallet | Pallet weight |
|------------------------------------|-------------|----------------|-----------------|---------------|---------------|
| Chesia 435 x 250 x 30 | 7 | 2.2 | 18.2 | 40 | 280 |
| Half Rope Top 910 x 150 x 50 | 13 | 1.1 | 45.5 | 50 | 650 |
| Rope corner 40 x 40 x 150 | 0.5 | - | - | - | - |
| Full Scroll 590 x 165 x 50 | 11.5 | 1.7 | 23.5 | 40 | 460 |
| Corner Dolly 50 x 50 x 280 | 1.5 | - | - | - | - |
| Winchester 290 x 175 x 20 | 2 | 3.5 | 22.9 | 80 | 160 |
| Victorian Scroll 230 x 175 x 40 | 3 | 4.3 | 11.6 | 50 | 150 |
| Victorian 235 x 210 x 40 | 3 | 4.2 | 16.7 | 70 | 210 |
| Rose Thistle 215 x 190 x 25 | 3 | 4.6 | 13 | 60 | 180 |
| Half Round 910 x 150 x 50 | 15 | 1.1 | 54.5 | 60 | 900 |
| Scalloped 590 x 160 x 40 | 7.7 | 1.7 | 29.4 | 50 | 385 |
| Lakeland Kerb 600 x 100 x 100 | 12.91 | 1.66 | 12 | 20 | 258 |
| Perimeter Edging 450 x 210 x 40 | 7.94 | 2.2 | 20 | 44 | 350 |



CHESIA

Available in: Limestone, Antique Grey
435 x 250 x 30



HALF ROPE TOP

Available in: Terracotta, Old Red, Welsh Slate, Barley
910 x 150 x 50



FULL SCROLL

Available in: Terracotta, Old Red, Welsh Slate, Barley
590 x 165 x 50



WINCHESTER

Available in: Antique Grey
290 x 175 x 20



VICTORIAN SCROLL

Available in: Terracotta, Old Red, Welsh Slate, Barley
230 x 175 x 40



VICTORIAN

Available in: Welsh Slate
235 x 210 x 40



ROSE THISTLE

Available in: Terracotta
215 x 190 x 25



HALF ROUND

Available in: Grey
910 x 150 x 50




SCALLOPED

Available in: Welsh Slate
590 x 160 x 40




LAKELAND KERB

Available in: Cumbrian Slate
600 x 100 x 100



LAKELAND GULLY

Available in: Cumbrian Slate
600 x 300 x 75



PERIMETER EDGING

Available in: Welsh Slate, Barley
450 x 210 x 40




Copings

Dale Coping & Edging

Ideal as an edging stone or for finishing off a wall, available in Welsh Slate.




DALE COPING
525 x 160 x 40



Once Weathered

Available in: Portland Grey, Barley and Welsh Slate. Larger sizes are made to order. Please ask in store.



Twice Weathered

Available in: Portland Grey, Barley and Welsh Slate. Larger sizes of Barley and all Welsh Slate are made to order. Please ask in store.

Flat Copings

Choose from either our Meadow or Lakeland range (see pages 61 and 64 for Lakeland and Meadow Walling).



MEADOW SINGLE COPING
600 x 160 x 40

DOUBLE COPING
600 x 280 x 40




LAKELAND FLAT COPING
440 x 150 x 30

| Sizes | Unit weight | No. Linear Mtr | Linear Mtr Pack | Unit / pallet | Pallet weight |
|--------------------|-------------|----------------|-----------------|---------------|---------------|
| Once Weathered | | | | | |
| 600 x 180 x 65 (h) | 14.5 | 1.66 | 24.1 | 40 | 580 |
| 600 x 225 x 70 (h) | 24 | 1.66 | 24.1 | 40 | 960 |
| 600 x 300 x 70 (h) | 24.5 | 1.66 | 12.0 | 20 | 490 |
| 600 x 355 x 70 (h) | 29 | 1.66 | 9.6 | 16 | 464 |
| 600 x 400 x 80 (h) | 24 | 1.66 | 9.6 | 16 | 384 |
| 600 x 450 x 75 (h) | 38 | 1.66 | 9.0 | 15 | 570 |

| Sizes | Unit weight | No. Linear Mtr | Linear Mtr Pack | Unit / pallet | Pallet weight |
|---------------------|-------------|----------------|-----------------|---------------|---------------|
| Twice Weathered | | | | | |
| 600 x 140 x 50 (h)* | 8 | 1.66 | 39.8 | 66 | 528 |
| 600 x 180 x 50 (h) | 12 | 1.66 | 32.5 | 54 | 648 |
| 600 x 280 x 50 (h)* | 16 | 1.66 | 24.1 | 40 | 640 |
| 600 x 225 x 60 (h) | 15 | 1.66 | 21.7 | 36 | 540 |
| 600 x 300 x 70 (h) | 23.5 | 1.66 | 19.3 | 32 | 752 |
| 600 x 355 x 70 (h) | 29 | 1.66 | 15.1 | 25 | 725 |


*Without Drips



Tabling

Available in: Portland Grey, Barley and Welsh Slate
are made to order. Please ask in store.

| Sizes | Unit weight | No. Linear Mtr | Linear Mtr Pack | Unit / pallet | Pallet weight |
|--------------------|-------------|----------------|-----------------|---------------|---------------|
| Tabling | | | | | |
| 600 x 300 x 50 (h) | 24 | 1.66 | 12.0 | 20 | 480 |
| 600 x 355 x 50 (h) | 29 | 1.66 | 12.0 | 20 | 580 |




Pier Caps

Available in: Portland Grey, Barley and Welsh Slate.
Larger sizes of Barley and all Welsh Slate are made to order. Please ask in store.

| Sizes | Unit weight | Qty/m ² | m ² per Pac | Unit / pallet | Pallet weight |
|----------------------|-------------|--------------------|------------------------|---------------|---------------|
| Pier Caps | | | | | |
| 225 x 225 x 50 (h) | 7 | - | - | 50 | 350 |
| 300 x 300 x 60 (h) | 10 | - | - | 30 | 250 |
| 380 x 380 x 50 (h) | 21 | - | - | 20 | 420 |
| 520 x 300 x 90 (h) | 19 | - | - | 16 | 190 |
| 520 x 520 x 100 (h)* | 50 | - | - | 4 | 500 |
| 600 x 600 x 150 (h)* | 67 | - | - | 4 | 268 |

*To order only



Coping Returns

Available in: Portland Grey, Barley and Welsh Slate
are made to order. Please ask in store.

| Sizes | Unit weight | Qty/m ² | m ² per Pac | Unit / pallet | Pallet weight |
|--------------------|-------------|--------------------|------------------------|---------------|---------------|
| Coping Returns | | | | | |
| 140 x 140 x 50 (h) | 3 | - | - | - | - |
| 180 x 180 x 50 (h) | 7 | - | - | - | - |
| 280 x 280 x 50 (h) | 10 | - | - | - | - |

Fencing 70

Fencing extras 71

Grass 72-73

LANDSCAPING ESSENTIALS

finishing touches



Fencing

Lap Panel

A sturdy garden wooden fence panel, 42mm thick.

Sizes available:

1830 x 1800 / 1830 x 1500
1830 x 1200 / 1830 x 900



Screen Panel Range

Choose from our range of decorative fence panels. Lisbon, Madrid and Florence to complete your garden.



LISBON
1830 x 1830



MADRID
1830 x 1830



FLORENCE
1830 x 1830



**FEATHER EDGE
PANEL BOARD**
1830 x 1800


Please Enquire

**GAZEBOS, ARBOURS AND OTHER
STYLE PANELS AVAILABLE.**

Fencing extras

Trellis

Thick timber panels ideal for climbing plants or creating a focal point.



Sizes available:

1830 x 1800 / 1830 x 1510 / 1830 x 1200
1830 x 900 / 1830 x 610 / 1830 x 320

Treated Timber Sleepers

Our sleepers are perfect for a variety of uses including creating raised flower beds.

Oak sleepers also available.



Wooden & Concrete Posts

Choose from our pressure treated timber post or solid concrete posts.



Gravel Boards

Recessed and Plain concrete gravel boards for use with all timber panels.

Sizes available: 1800 x 300 / 1800 x 150

Metposts

We have a range of metposts for timber post support.





Turf & Artificial Grass

Our artificial grass range will give any garden a natural, luxury look but with low maintenance. We also sell a high tolerance lawn turf which is ideal if you need a hard wearing lawn.



30mm

30MM ARTIFICIAL GRASS

30mm tufted synthetic grass, soft to touch and durable making this a great all-rounder



35mm

35MM ARTIFICIAL GRASS

35mm tufted cut pile with a super soft feel, it's an ideal choice for children and pets



38mm

38MM ARTIFICIAL GRASS

38mm tufted pile with a luxurious look and feel, it is an ideal choice for gardens that require a bit of 'luxury'



45mm

45MM ARTIFICIAL GRASS

45mm tufted synthetic carpet, the closest artificial grass to mimic real turf



PLAYLAWN TURF

A medium texture, high wear tolerance blend of grasses, ideal for hard wearing lawns and amenity areas. Available in 1m² rolls.

PATIO CONSTRUCTION & CARE

create

Patio construction 76-77

Patio generator 78

Caring for your patio 79

Plan ahead 80-81

Important information 82-83



Patio Construction

76



Step 1 (Planning)

Decide where you want to lay your new patio. First sketch out the area to be paved, showing all dimensions.

Include in the drawing items such as drains, height of damp proof course, the slope or fall of the area and any other constraints eg walls, lawns, steps etc.

Visit Bowland Stone or your nearest stockist to create your laying guide using the Bowland Stone Patio Generator.



Step 2 (Preparation)

The area to be paved must be firm and compact to avoid any subsidence. If necessary dig out any soft soil and replace with crushed stone preferably with a high dust content. The level of the ground at this stage should be approximately 55mm to 80mm below the final level of the paved area.

Poor drainage or installing paving onto an existing concrete/paved base can lead to high levels of moisture underneath the paving. This may result in discolouration/staining on the surface of the paving due to adsorption of trapped water.



Step 3


At this stage as well as a trowel and shovel, a spirit level will be needed at least the length of the longest slab that is to be laid. Determine the quantities of sand and cement required for 'bedding' the slabs on. As a guide the bed should be between 15mm and 40mm thick and mixed in a ratio of 4 parts sand to 1 part cement, (mixed together in manageable quantities either by hand or a small mechanical mixer).

Decide where to lay the first slab, this is usually a corner slab and probably at the highest point. In most cases a slope of 1:100 is adequate to enable surface water to fall away from the house. It very often helps to use string and mark out the area, which helps to keep the joints at 90 degrees to each other. Continue laying your patio following your laying guide. We recommend that all paving is laid on a full mortar bed.



Step 4

The method of laying should be such that each slab must not bear any weight for at least one day. Care should also be taken to ensure that cement is kept off the surface of the paving as it can cause staining. The exact position of each slab should be achieved first time. To do this, do not apply excessive force on the slab but check with a spirit level and apply gentle pressure until the exact position is found. It is best to lay full slabs first and then cut any odd shapes and sizes that may be needed.



Step 5

Unlike all the previous stages, grouting can only be done on a dry day. Building sand should be used, mixed at a ratio of 5 parts sand to one part cement. (Or alternatively use a pointing compound some of which can be used during inclement weather). Bowland Stone colour additive can be used to complement or contrast the overall appearance. The total quantity should not exceed one bucket of grout at a time.

With the use of either a bricklayers pointing trowel or pointing tool, push the mix into the gaps to form a uniform surface to the pointing ensuring that it is kept slightly below the surface of the paving. Excess mix should be swept aside and re-used but do not brush it over the slabs until the mix has become dry. It is essential that the mix is moist but not wet to prevent the possibility of staining.

Step 6
Enjoy your NEW patio!





Patio Generator

Let our friendly team of advisors help plan your space using our unique Patio Generator.


The Bowland Stone Patio Generator creates bespoke paving designs so you can quickly see how your garden will be transformed, providing you with the inspiration you need to get started.

Whatever your space, shape or size, the Patio Generator will produce traditional and random paving patterns to fit. Paving circles and Patio Pacs can also be incorporated. Every design will give your garden a different feel, and our team will help you decide on the ideal layout for your requirements.

Once we've created your perfect patio, you'll receive a detailed plan of your design and be advised on the right products for the job – you're now ready to begin creating the garden of your dreams!

Ask instore

Ask our advisors in store or your Bowland Stone Representative for more information on our Patio Generator.



Caring for your patio

The following tips should help you keep your paving looking at its best for longer.

1. **Regular washing** and brushing should be adequate to maintain your patio.
2. **Before using any cleaning materials** consult your paving stockist to recommend an appropriate product.
3. **Test a small area** before cleaning the patio.
4. **If using patio cleaner, use sparingly** (once or twice during the lifetime of the patio) as this may affect durability.
5. **Sealants can be used** but they can affect the colour of the paving.
6. **Do not use salt** to de-ice your patio.
7. **Dark patches are due to differential weathering and exaggerated by efflorescence***. As with efflorescence the dark patches will generally disappear in time.
8. **Fungal and algae growths** can be cleared by spraying with fungicide.
9. **Bowland Stone paving** can be used indoors as well as out.
10. **We do not** recommend the use of a pressure washer.

Please note that although sometimes unsightly, blemishes or stains are unlikely to affect the performance of the paving. Always follow manufacturer's instructions when using cleaning equipment or materials.

*Please refer to page 82 for further information.



Plan ahead



Important information

Product Colour

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer. It is also worth noting that the colour of new products will inevitably vary compared to those which have been installed for a period of time as weathering does take place.

Natural Stone products will naturally feature more colour variation than concrete products and several samples should be obtained. Bowland Stone does not take responsibility for any colour inaccuracies within this brochure compared to the products featured.

Although every effort is made to ensure colour consistency, variations between production batches can occur, especially in blended shades. We recommend that where possible products are ordered from one batch and where multiple packs of product are ordered, thoroughly mix the products by drawing from different packs when laying.

Sizes

Bowland paving is manufactured to capture the authenticity of natural slabs and as such they may vary in thickness. All sizes & dimensions are nominal, subject to manufacturing tolerances and are for guidance only.

It is recommended to 'dry lay' your design first starting from the centre, (especially Bowland Stone feature kits including circles, stars, octagons, & ovals), which will allow you to establish the correct spacing between each slab to ensure your design fits perfectly in the area allocated.

Efflorescence

All quality products with a high cement content may suffer the temporary phenomenon of efflorescence. It can appear as a white powder or just an apparent lightening/fading of surface colour. It is caused by the migration of soluble salts (calcium hydroxide) through the damp paving surface which

then reacts with atmospheric carbon dioxide to form calcium carbonate – a white deposit of low water solubility which is apparent as the surface dries.

Ideally it is better to let efflorescence disappear naturally, however it can be removed chemically by using proprietary acid washing agents or brick/patio cleaners in accordance with manufacturer's instructions. Trials should be carried out on samples or on a limited area, in order to assess the effect on the appearance. Please note that this can alter the appearance of the concrete by changing the surface texture and may also damage the concrete surface.

Weathering

Natural weathering and site conditions will also affect the appearance of paving along with seasonal manufacture or naturally occurring variations of the aggregates used in manufacturing.

Differential weathering can cause patchy, dark discolouration on the surface of individual paving slabs, due to the paving curing at different rates. This will generally diminish over time and will not affect the long term performance.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant life. Specialist maintenance advice may need to be sought.

Bowland Stone do not recommend the use of road salt or the use of pressure washers, as both can damage the surface and appearance of the paving.

Poor drainage or installing paving onto an existing concrete/paved base can lead to high levels of moisture underneath the paving. This may result in discolouration/staining on the surface of the paving due to absorption of trapped water.

Health and Safety / Product Handling

Care should be taken when handling / installing Bowland Stone products, we always recommend suitable lifting equipment or 2 person lifting on our larger size paving slabs.

- Always wear gloves and safety footwear when handling products
- Wear appropriate PPE if using cutting equipment
- Ensure products are on level ground before unwrapping and the product is supported before cutting bands to avoid breakages, chipping or damage to yourself

Storage

Prior to laying, cover all paving and store in a vertical position. Bowland Stone will not take responsibility for any paving that has developed water marks or stains due to inadequate storage.

Application

Bowland Stone products, unless otherwise stated, are primarily intended for domestic/landscape use only. Decorative paving is not recommended for use on driveways. For areas subject to vehicular use, block paving products are recommended (see pages 40-41).

Delivered Goods

All products must be checked upon receipt. In the unlikely event of products reaching you in an unsatisfactory condition, please contact your retailer immediately, allowing time for the rejected product to be inspected and or replaced. Minor scuffs or bruises may occur during delivery, movement onsite and installation are generally unavoidable, in our experience these will weather in over time.

Bowland Stone cannot accept any responsibility for uplifting and relaying costs of defective products if upon inspection, it is deemed that the defect would have been apparent prior to laying.

Liability

No charge is levied for this brochure and liability in respect of any statements, conditions, warranties and representations made on behalf of Bowland Stone is limited in accordance with the terms set out in Standard Conditions of Sale. While every effort is made to give sound advice,

Bowland Stone cannot accept any responsibility for any loss, damage or injury as a result of following it.

Bowland Stone will not take any responsibility or liability in respect of products being used for any purpose other than those for which they were intended. Due to our continuous evolution of product design and improvement, our range and specifications are subject to change without notice. Customers should check that all information is up to date.

Bowland Stone will not be liable for any fair wear and tear, wilful damage or negligence of the customer or abnormal conditions.

Costs

Please refer to your local retailer for all up to date pricing. Please be aware that paving is just one element of the total cost of laying a patio and is rarely the largest outlay.

Additional Product Information

Natural Stone

Unavoidable colour and thickness variations occur within the natural stone ranges. Our natural stone is sourced from suppliers who are registered with the 'ethical trading initiative'.

Natural Stone may develop added marking, deposits or patches as mineral content oxidises.

Product should be mixed from a number of packs prior to installation and should always be laid on a full wet mortar bed.

All Silver Grey Natural Sandstone products vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. This natural weathering is more obvious with Silver Grey Sandstone compared to other natural stone products due to its paler colour.

Sandstone needs to be handled very carefully when installing to minimise staining and we would advise that

Smooth Natural Sandstone be sealed prior to laying using a breathable sealer. However, if this is not possible, it should be covered up as it is installed and sealed as soon as it is laid.

A slurry primer (such as Bradbond) should be applied to the underside of all Smooth Natural Sandstone, Natural Slate, Riverwashed Limestone and Granite paving prior to laying to improve adhesion.

Blue Black Limestone is UV sensitive and over time will lighten in colour. It is recommended to seal limestone prior to laying or as soon after laying as practically possible. Never use acidic based products on limestone.

Porcelain paving

Manufactured from the finest raw materials, under strict controls allows for exceptional technical characteristics of full-body unglazed porcelain paving.

Anti-slip surface resistance

- Arenaria, Tephra & Brooklyn porcelain paving = Class 3 / R11 / Group C

The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of porcelain paving. We recommend the use of Bradbond for this. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet bed underneath. Mixed to manufacturers instructions and applied with care it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid.

We recommend Bradpoint jointing compound for pointing. Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart.

Porcelain paving can be cut on site and mostly to any size. We recommend the use of a portable saw (table saw, petrol driven disc cutter, rechargeable angle grinder) fitted with a good quality diamond porcelain blade. The blade should be

water fed for dust suppression and to keep the blade cool. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping.

Porcelain paving can be cleaned by applying a suitable cleaner. We strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with porcelain cleaner will keep the paving looking its best.

Dependent on the type of stain / surface residue present (i.e. suction marks, grease, grout, general building site dirt) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturers instructions first before applying to any test area.



Made in the UK by
Bowland Stone

Bowland Stone (Bristol)
1 Cole Road
St Philips
Bristol BS2 0UG
e. bristol@bowlandstone.com
t. 0117 9557 530

Bowland Stone (Manchester)
Nab Works
Long Lane, Pott Shrigley
Macclesfield
Cheshire SK10 5SD
e. manchester@bowlandstone.com
t. 01625 574634

Find even more inspiration at www.bowlandstone.com

